

Run with the leader.

Going back more than six decades, Huhtamaki has consistently led the frozen dessert industry in packaging innovation, diversity, cost-efficiency and shelf-presence. Since 1942, we've provided the ice cream market with containers in numerous shapes and sizes for maximum growth and opportunity.



Big things come in small packages.

Big flavor. Big fun. Bigger profits. Small sizes that are fun and convenient. Single serve is the hottest packaging in the frozen dessert aisle. Huhtamaki has many solutions that can create a big opportunity for brands.

One size doesn't fit all.

The market is dynamic. Trends change. Fads fade. Costs rise. Huhtamaki is ready with innovative packaging solutions to help you stay ahead.

- Packaging Systems that work for you.
- Tapered 48oz. containers provide more options.
- Efficient shapes that let you place more containers in the same shelfspace.
- Brilliant graphics capabilities, state-of-the-art printing technologies.
- In-plant forming systems for maximum control and savings.





You stand behind your products, and so do we.

Huhtamaki Systems formers, fillers and unscramblers are designed and built in the USA by equipment engineers who understand packaging. Small footprints. Minimum utility requirements. Simple operation. Optional maintenance plans. All designed to deliver maximum value.

FM-1400 Forming Machine

Straight-wall, flat bottom containers.

Variable speeds from 50-90 containers per minute.

Length: 6ft. 5in. (1955mm) **Width:** 5ft. 4in. (1625mm)

Height: 7ft. 0in. (2133mm) w/guards in operating position

9ft. 0in. (2743mm) w/guards in service position

Conveyor Height: 38.25in. - 39.25in. (972mm - 997mm)

Weight: 8,500lbs. (3856kg)

Electrical: 230 Volts A.C., 3-phase, 60Hz, 80amps

(transformer supplied to meet international specs.)

Pneumatic: 80-90psi, 1000scfm measured at the machine

Containers: Convocan®, Convocan® MX

CF-3200 Cover Unscrambler/Feeder

Speed ranges from up to 80 large covers per minute to 300 small covers per minute.

 Length:
 55.0in. (1397mm)

 Width:
 36.0in. (914mm)

 Height:
 75.0in. (1905mm)

 Hopper Height:
 44.0in. (1118mm)

 Overall Height:
 92in. (2337mm)

 Weight:
 780 lbs. (354 kg)

Electrical: 230 Volts AC, 3 Phase, 60 Hz, 10 Amps or

480 Volts AC, 3-Phase, 60 Hz, 5 Amps

Pneumatic: 5 scfm @ 50 psig, 3/8" supply (min.),

measured at machine

Containers: Round, Non-Round, Medley® and Majestik® Lids

FC-2320 Filler/Capper

Up to 60 cartons per minute (single drop) and 120 cartons per minute (dual drop) depending on size.

Length: 82.5in. (2095mm) **Width:** 36.0in. (914mm)

Height: 59.0in. (1499mm) to fill valve inlet

Weight: 2,200 lbs. (998 kg)

Motor: 3/4 hp, 180 V-DC, single-phase, 1,725 rpm

Electrical: 230 Volts AC, 3-phase, 60Hz, 10 amps

Pneumatic: 5 scfm @ 60 psig

Containers: Nestyle®, Regal®, Revelle®





Single Source Simplicity

All sizes. All shapes. All sorts of options. It's all here. Why go anywhere else?



Convocan®

The all-round frozen dessert container with straight walls.



Convocan® MX

The same height and sidewall as our Convocan container but with a slight taper.



Revelle®

Tapered sides, wider opening and a stronger, flat bottom. Lids: All paper Majestik® or composite Medley® available.



Regal®

Non-round shape is easy to handle, wide mouth makes it easy to scoop.

Lids: All paper Majestik® or composite Medley® available.



Nestyle®

Round and tapered sides, from single serve up to family size options.



Regal® XT

This footprint goes five deep on a retail shelf. Narrow width and taller height equals the same volume in less shelf space.



Fluted Cup

Convenient plastic cup with tab lid for on-the-go fun.